

	Type	Hits	Search Text	DBs
1	IS&R	4	((("20050091450") or ("20050091556"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
2	IS&R	0	((("10440531") or ("10440548") or ("10440570"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
3	IS&R	6	((("20040230596") or ("20040230624") or ("20040230862"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
4	BRS	2	(read\$3 or access\$3) same (request\$3 near3 stripe) same (decod\$3 with eras\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
5	BRS	2	(read\$3 or access\$3) same (request\$3 near3 stripe) same (decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
6	BRS	2	(request\$3 near3 stripe) same (decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
7	BRS	23	(read\$3 or access\$3) same (request\$3 with stripe) same (decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
8	BRS	0	("2006/0253767").URPN.	USPAT
9	BRS	0	RAID same ((read\$3 or access\$3) with stripe) same (decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
10	BRS	473	((read\$3 or access\$3) with stripe) same (decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
11	BRS	3	711/114.ccls. and ((read\$3 or access\$3) with stripe) same (decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
12	BRS	6	"711"/\$.ccls. and ((read\$3 or access\$3) with stripe) same (decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
13	BRS	7	"711"/\$.ccls. and (read\$3 same stripe same decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
14	BRS	696	(read\$3 same stripe same decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
15	BRS	463	(read\$3 with stripe same decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
16	BRS	284	(read\$3 with stripe with decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB

MR

	Type	Hits	Search Text	DBs
17	BRS	0	(read\$3 with stripe with decod\$3) same timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
18	BRS	3	(read\$3 with stripe with decod\$3) and timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
19	BRS	17	(read\$3 with stripe with decod\$3) and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
20	BRS	0	(read\$3 with stripe with decod\$3) same log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
21	BRS	25	(read\$3 with stripe with decod\$3) same log\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
22	BRS	3	(read\$3 near3 log\$4) same success\$4 same timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
23	BRS	15	(read\$3 near3 table) same success\$4 same timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
24	BRS	3	(write near3 log) same success\$4 same timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
25	BRS	0	(write near3 table) same success\$4 same timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
26	BRS	428	"711"/\$.ccls. and (read\$3 with stripe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
27	BRS	659	"711"/\$.ccls. and (read\$3 with strip\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
28	BRS	120	"711"/\$.ccls. and (read\$3 with stripe) same receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
29	BRS	97	"711"/114.ccls. and (read\$3 with stripe) same receiv\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
30	BRS	17	"711"/114.ccls. and (read\$3 with stripe) same minimum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
31	BRS	4	"711"/114.ccls. and (read\$3 with stripe with parity) same minimum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
32	BRS	0	(RAID adj "4") near3 read\$3 with (decode or recover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
33	BRS	0	(RAID adj "4") near3 read\$3 with (decod\$3 or recover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
34	BRS	0	(RAID-4) near3 read\$3 with (decod\$3 or recover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
35	BRS	0	("RAID 4") near3 read\$3 with (decod\$3 or recover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
36	BRS	25	("RAID 4") near3 read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
37	BRS	36	("RAID 3") near3 read\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
38	BRS	0	("RAID 3") near3 read\$3 and timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
39	BRS	107	(stripe) near3 read\$3 and timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
40	BRS	17	"711"/\$.ccls. and (stripe) near3 read\$3 and timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
41	BRS	994	read with (pend\$3 near3 write)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
42	BRS	350	"711"/\$.ccls. and read with (pend\$3 near2 write)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
43	BRS	37	"711"/\$.ccls. and strip\$3 near3 random\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
44	BRS	2	"711"/\$.ccls. and strip\$3 near3 random\$3 near3 storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
45	BRS	2710	711/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
46	BRS	311	714/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
47	BRS	2304	714/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
48	BRS	742	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
49	BRS	495	714/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	RAID same (request\$3 with strip\$3) same (quorum or group or fail\$3) with (intersect\$3 or overlap\$4) and decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	0	RAID and (request\$3 with strip\$3) same (quorum or group or fail\$3) with (intersect\$3 or overlap\$4) and decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	3	(request\$3 with strip\$3) same (quorum or group or fail\$3) with (intersect\$3 or overlap\$4) and decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	1	("2005/0091451").URPN.	USPAT
54	BRS	6	(request\$3 with strip\$3) same (pend\$3 near writ\$3) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	8	(request\$3 with strip\$3) same (pend\$3 near writ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	16	((request\$3 or read\$3) with strip\$3) same (pend\$3 near writ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	1007	714/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	1112	714/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	332	714/769.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	179	714/770.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	67	(read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	311	714/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	2710	711/114.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
64	BRS	2304	714/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
65	BRS	742	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
66	BRS	495	714/8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
67	BRS	0	S59 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
68	BRS	1	S57 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
69	BRS	0	S62 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
70	BRS	0	S66 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
71	BRS	1	S57 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
72	BRS	1	S58 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
73	BRS	1	S60 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
74	BRS	2	S63 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
75	BRS	3	S64 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
76	BRS	1	S65 and (read\$3 with strip\$3) same (reply or acknowledge or ack or message) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
77	BRS	1	RAID and (read\$3 with strip\$3) same (group\$3 or quorum or fail\$3) same decod\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB
78	BRS	10	RAID and (read\$3 with strip\$3) same (group\$3 or quorum or fail\$3) same (intersect\$3 or overlap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB

MR

	Type	Hits	Search Text	DBs
79	BRS	7	(read\$3 with strip\$3) same (minimum or minimal) same (group\$3 or quorum or fail\$3) same (decod\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	5	RAID and (strip\$3) same (minimum or minimal) same (group\$3 or quorum or fail\$3) same (decod\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	4	(read\$3 near3 strip\$3) same quorum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	0	(read\$3 near3 strip\$3) same parity same ((intersect\$3 or overlap\$4) with (minimum or minimal) with decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	0	(read\$3 near3 strip\$3) same parity same ((intersect\$3 or overlap\$4) same (minimum or minimal) with decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	4	(read\$3 near3 strip\$3) same parity and ((intersect\$3 or overlap\$4) same (minimum or minimal) with decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	88	(strip\$3 same read\$3 same (decod\$3 or unscrambl\$3 or decipher\$3 or decrypt\$3)).clm.	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB
6	BRS	L6	2	L1 and (strip\$3 same read\$3 same (decod\$3 or unscrambl\$3 or decipher\$3 or decrypt\$3)).clm.	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB

MR



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Sat, 15 Sep 2007, 5:08:47 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (((stripe <paragraph> (read or reading) <paragraph> (message or communication or acknowledgement or reply) <paragraph> (quorum or group or failed or minimum or minimal) <paragraph> (decode or unscramble or decipher or decrypt)))<in>metadata)
- #2 (((stripe <paragraph> (read or reading) <paragraph> (message or communication or acknowledgement or reply) <paragraph> (decode or unscramble or decipher or decrypt)))<in>metadata)
- #3 (((stripe <paragraph> (read or reading) <paragraph> (quorum or group or failed or minimum or minimal) <paragraph> (decode or unscramble or decipher or decrypt)))<in>metadata)
- #4 (((stripe <paragraph> (read or reading) <paragraph> (quorum or group or failed or minimum or minimal)))<in>metadata)
- #5 (((stripe <paragraph> (read or reading) <paragraph> (quorum or group or failed or minimum or minimal)))<in>metadata)
- #6 (((stripe <paragraph> (read or reading) <paragraph> (message or communication or acknowledgement or reply) <paragraph> (decode or unscramble or decipher or decrypt)))<in>metadata)

Indexed by
 Inspect®

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

MR

10693758_EAST.txt

(7266716
20050091451
20050091556
5799324
7152077
20040230596
20050091450
5263145
5583803
5703966
5703965
6111845
6118821
6219762
6219762
6286121
6421060
6434675
5720025
5596709
5960169
6460054
7096316
5377344
20040179825
4491935
20070192544
5349597
6160527
20060072175
20060112221
6219454
6219454
5960451
6229929
6230240
5379417
5471640
5765193
5860091
5933834
6076143
6151665
6170037
4761785
4835628
5191491
5208813
5235601
5237658
) .pn.

Day : Saturday
Date: 9/15/2007

Time: 17:15:39

PALM INTRANET

Inventor Information for 10/693758

Inventor Name	City	State/Country
<u>FROLUND, SVEND</u>	MOUNTAIN VIEW	CALIFORNIA
<u>MERCHANT, ARIF</u>	MOUNTAIN VIEW	CALIFORNIA
<u>SAITO, YASUSUHI</u>	MOUNTAIN VIEW	CALIFORNIA
<u>SPENCE, SUSAN</u>	SAN JOSE	CALIFORNIA
<u>VEITCH, ALISTAR</u>	MOUNTAIN VIEW	CALIFORNIA

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign I](#)

Search Another: Application #

Search

or Patent#

Search

PCT /

Search

or PG PUBS #

Search

Attorney Docket #

Search

Bar Code #

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

MR

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	7789	711/114.ccls. or 714/3.ccls. or 714/6.ccls. or 714/7.ccls. or 714/8.ccls. or 714/2.ccls. or 714/5.ccls. or 714/769.ccls. or 714/770.ccls.	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB
2	BRS	L2	2	(strip\$3 same read\$3 same (messag\$3 or communicat\$3 or acknowledg\$3 or reply\$3) same (quourum or group or fail\$3 or minimum or minimal) same (intersect\$3 or overlap\$4 or cross\$3) same (decod\$3 or unscrambl\$3 or decipher\$3 or decrypt\$3)).clm.	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB
3	BRS	L3	2	(strip\$3 same read\$3 same (quourum or group or fail\$3 or minimum or minimal) same (intersect\$3 or overlap\$4 or cross\$3) same (decod\$3 or unscrambl\$3 or decipher\$3 or decrypt\$3)).clm.	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB
4	BRS	L4	6	(strip\$3 same read\$3 same (intersect\$3 or overlap\$4 or cross\$3) same (decod\$3 or unscrambl\$3 or decipher\$3 or decrypt\$3)).clm.	US- PGPUB ; USPAT ; EPO; JPO; DERWE NT; IBM_T DB